

Message

From: [Nonresponsive based on revised scope]@WestonSolutions.com]
Sent: 3/30/2020 2:59:47 PM
To: [Nonresponsive based on revised scope]@epa.gov]; Graybill, Eric [graybill.eric@epa.gov]
CC: Fortune, Warren [Fortune.Warren@epa.gov]; Wilson, Ashley [Wilson.Ashley@epa.gov]; Roberson, Sharon [Roberson.Sharon@epa.gov]; [Nonresponsive based on revised scope]@westonsolutions.com]; Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: Case# 48539, SDG# C0AY7 - Validated Data for Shiloh Church Road Removal Site

Good Morning Eric and [Redacted]

Thank you for sending this edd to us, much appreciated.

[Nonresponsive based on revised scope]

From: [Nonresponsive based on revised scope]@epa.gov]
Sent: Monday, March 30, 2020 8:01 AM
To: Graybill, Eric <graybill.eric@epa.gov>; [Nonresponsive based on revised scope]@WestonSolutions.com>
Cc: Fortune, Warren <Fortune.Warren@epa.gov>; Wilson, Ashley <Wilson.Ashley@epa.gov>; Roberson, Sharon <Roberson.Sharon@epa.gov>; [Nonresponsive based on revised scope]@WestonSolutions.com>; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Case# 48539, SDG# C0AY7 - Validated Data for Shiloh Church Road Removal Site

**** External Email ****

Thanks Eric. I had not received the email and wasn't aware of the issue.

Attached is the correct single file EDD. Please note the three-part Equis EDD was correct in the original email distribution.

Sorry for any confusion and delayed response. Let me know if there is more we can do.

Thanks

[Nonresponsive based on revised scope]



Nonresponsive based on revised scope

[Nonresponsive based on revised scope]@icf.com

701 Mapes Road, Fort Meade, MD 20755 USA

From: Graybill, Eric <graybill.eric@epa.gov>
Sent: Monday, March 30, 2020 7:41 AM
To: Roberson, Sharon <Roberson.Sharon@epa.gov>; [Nonresponsive based on revised scope]@epa.gov>
Cc: Fortune, Warren <Fortune.Warren@epa.gov>
Subject: FW: Case# 48539, SDG# C0AY7 - Validated Data for Shiloh Church Road Removal Site

Hi Sharon and [Redacted]

In case you didn't see this email.

Thanks

Eric

From: Nonresponsive based on revised scope [redacted]@WestonSolutions.com>
Sent: Friday, March 27, 2020 3:22 PM
To: Wilson, Ashley <Wilson.Ashley@epa.gov>
Cc: Nonresponsive based on revised scope [redacted]@westonsolutions.com>; Wagner, Christine <Wagner.Christine@epa.gov>; Graybill, Eric <graybill.eric@epa.gov>
Subject: FW: Case# 48539, SDG# C0AY7 - Validated Data for Shiloh Church Road Removal Site

Good Afternoon Ashley,

Can you please send the EQuIS file for 48539 C0AY7_VAL? The file that was sent to us was EQuIS 48397 C0B07 (please see attachment).

Thank you so much,

Nonresponsive based on revised scope [redacted]

From: Wilson, Ashley [mailto:Wilson.Ashley@epa.gov]
Sent: Thursday, December 19, 2019 3:35 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: Nonresponsive based on revised scope [redacted]@WestonSolutions.com>; Nonresponsive based on revised scope [redacted]@WestonSolutions.com>; Nonresponsive based on revised scope [redacted]@epa.gov>; Nonresponsive based on revised scope [redacted]@epa.gov>
Subject: Case# 48539, SDG# C0AY7 - Validated Data for Shiloh Church Road Removal Site

**** External Email ****

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Removal Site, Case# 48539, SDG# C0AY7. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Brandon McDonald by phone at 410-305-2607 or e-mail at McDonald.Brandon@epa.gov if additional assistance is needed.

TO # 0002

TDF # 1019074



Ashley Wilson | Research Technician | 410-305-3013 | Wilson.Ashley@epa.gov
ICF | 701 Mapes Road, Fort Meade, MD 20755-5350

ED_013731B_00008109-00002

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.